





Variante con cucina e facciata intercambiabile



Variante con balconcino



Particolare finestra con zanzariera



Imballo per veranda $120 \times 20 \times 15$ paleria $80 \times 60 \times 20$ veranda

RODI

Made in Italy

La veranda "RODI" è caratterizzata dalle innovative finestre (in kristal e zanzariera) che garantiscono un eccellente ricambio d'aria. Per questo motivo è particolarmente indicata per l'utilizzo in luoghi umidi o estremamente soleggiati.

È disponibile in due versioni di colore.

CARATTERISTICHE TECNICHE:

- Tetto in tessuto poliestere bispalmato PVC da 530 gr/mq
- Pareti laterali amovibili in tessuto poliestere resinato, con finestre in zanzariera e coprifinestre incernierati
- Facciata asportabile ed intercambiabile (escluse taglie I e 2) con finestre in kristal trasparente e zanzariera; le taglie I e 2 hanno due finestre e porta laterale; la taglia 3, due finestre con porta centrale; dalla taglia 4 alla taglia 12, tre finestre con porta centrale; dalla taglia I 3 alla taglia I 4, quattro finestre con porta centrale
- Grondine di protezione sulle cerniere esposte all'acqua
- Balza perimetrale in tessuto poliestere bispalmato PVC con ancorette per un facile ricambio degli elastici
- Profondità della veranda cm 250 con verandino di cm 50
- Paleria in alluminio elettrosaldato di ø mm 25,4 x 1,2 e lunghezza cm 115, dotata di pratica borsa che consente un trasporto più agevole. È disponibile fino alla taglia 4 con tre pali al tetto, dalla taglia 5 alla 10 cinque pali al tetto, dalla taglia 11 alla taglia 14 sette pali al tetto e cinque pali verticali
- Disponibile dalla taglia | alla taglia | 14.

OPTIONALS:

- Cucina di larghezza cm 200 e profondità cm 130
- Camera ospiti di larghezza cm 200 e profondità cm 140, composta da un telo interno in cotone 100% con catino in PVC
- Sottotetto in cotone 100%
- Divisorio per cucina in cotone 100%
- Triangolo di compensazione (caravan aerodinamiche)

"RODI" is characterised by innovative windows (transparent kristal and mosquitonet) which guarantee excellent ventilation. Thanks to those characteristics is particulary suitable for sunny places and wet conditions

TECHNICAL FEATURES:

- Smeared PVC (530 gr/mq) tent-fly
- Removable resined polyester walls with zipped mosquito-net and window covers
- Removable front (no sizes I and 2) with transparent kristal and mosquito-net windows. Sizes I and 2 have two windows and a lateral door; size 3 two windows and central door; from the 4th till the I 2th three windows and central door; from the I 3th till the I 4th four windows with central door.
- Protection weather-moulding upon the zippers exposed to the water
- Outside ledge in smeared PVC with hooks
- Awning's depth cm 250 and casquette cm 50
- Aluminium electrowelded pole kit ø mm 25,4 × 1,2 and length cm 115 equipped with a practice bag for an easy freight; three poles at the tent-fly till the 4th size, five poles at the tent-fly from the 5th till the 10th size, seven poles at the tentfly and five vertical poles from the 11th till the 14th size
- Available from the 1st size till the 14th.

OPTIONALS:

- **Kitchen:** breadth cm 200 and depth cm 130
- **Guest room:** breadth cm 200 and depth cm 140. It is composed of an inner in cotton 100% with a PVC basin
- Garret: in cotton 100%
- **Kitchen partition** in cotton 100%
- **Compensation triangle** (aerodynamic caravan)





